

INJ90BT-24

Hardened Gigabit 90W PoE Injector



Highlights

+ High-Power PoE (Power over Ethernet)

High power output using the latest IEEE 802.3bt technology
Up to 90W output for various security, LED lighting, and other applications
Backward compatible with 802.3af and 802.3at devices

+ Hardened-Grade for Non-Ventilated & Harsh Environments

Wide operating temperature range -40 to 75°C (-40 to 167°F)
Fanless operation
High impact, thermal shock, and electrical noise resistance

+ Support

Complimentary Technical Support
In-person training and free online training courses available
Limited Lifetime Warranty

Overview

EtherWAN's INJ90BT-24 is a compact hardened DIN-rail mounted PoE injector. Using the latest IEEE 802.3bt PoE technology providing up to 90W power output, the INJ90BT-24 provides the solution required to integrate remote PoE devices such as IP cameras, LED lights, wireless access point, and other network devices into non-PoE networks for reliable operation even in harsh environments.

EtherWAN — "When Connectivity is Crucial."

Specifications

+ Interface

Ethernet

1 x 10/100/1000BASE-T(X), connection to network

1 x 10/100/1000BASE-T(X), PoE connection to device

LED Indicators

Power detected: Power 1, Power 2

PoE: On (Active), Off (Idle)

+ Technology

Standards

IEEE 802.3 10BASE-T

IEEE 802.3u 100BASE-TX/100BASE-FX

IEEE 802.3ab 1000BASE-T

IEEE 802.3af PoE

IEEE 802.3at PoE+

IEEE 802.3bt 4PPoE

Compatible with 95W PoH (Power over HDBaseT) standard

+ Power

Input

24-56VDC Redundant (Terminal block)

Power Consumption

1W max@48VDC, without PoE

PoE Power Output

90W@56VDC Input

60W@24VDC Input

Protection

Reverse Polarity Protection

Current Overload Protection

+ Physical

Casing Material

Aluminum

IP Rating

IP30

Dimensions

32 x 81.5 x 103.5mm (W x D x H)

1.26" x 3.21" x 4.07"

Weight

1.5lbs (0.68kg)

Installation Type

DIN-rail or wall mounting


+ Environmental

Operating Temp.
-40 to 167°F (-40 to 75°C)

Storage Temp.
-49 to 185°F (-40 to 85°C)

Relative Humidity
5% to 95% (non-condensing)

Dimensions



01 facility

Limited Lifetime

Details

www.etherwan.com/support/warranty-policy

Ordering Info

+ Model

INJ90BT-24 10/100/1000BASE-T PoE Injector, 90W 802.3bt

+ Accessories

DIN-Rail Power Supplies www.etherwan.com/products/din-rail-power-supply

+ What's Included

Device
Injector

Installation
Mounting brackets, screws, 4-pin terminal block

Documentation

[Quick Install Guide](#)

