


DIN-Rail Power Supply

Industrial Power Supply Series



Overview

Stable Performance under Difficult Environments

EtherWAN provides DC single output industrial DIN rail power supply units come with such protection features as short circuit, overload, over voltage and over temperature for the stable operation of industrial Ethernet equipment. It uses the free air convection cooling system to prevent operating temperature from rising. Being able to operate under the temperature range from -20 to 70 degrees C (maximum), the DC single output industrial DIN rail power supply units can be placed in almost any difficult environments.

EtherWAN — "When Connectivity is Crucial."

Ordering Info

+ Model

Model number	Working Temperature	Input Voltage	Output Voltage	Description	Datasheet
EPHX-24-60	-4 ~ +158°F	100-240VAC	24VDC	60W/2.5A DIN-Rail 48VDC (42-56VDC Adjustable) Industrial Power Supply	Datasheet
EPHX-48-240	-4 ~ +158°F	100-240VAC	48VDC	240W/5A DIN-Rail 48VDC (42-56VDC Adjustable) Industrial Power Supply	Datasheet
EPHX-48-480	-4 ~ +158°F	100-240VAC	48VDC	480W/10A DIN-Rail 48VDC (36-55VDC Adjustable) Industrial Power Supply	Datasheet



© EtherWAN Systems, Inc. All rights reserved. 20230628

EtherWAN is constantly developing and improving products. Specifications are subject to change without notice and without incurring any obligation.